SEP 2 0 2004 SEP

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: September 17, 2004

Signature:

Docket No.: 28341/6216.NDV2

(PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Fisher et al.

Application No.: 10/657,399

Art Unit: Not Yet Assigned

Filed: September 8, 2003

Examiner: Not Yet Assigned

For: METHODS OF IDENTIFYING ANTI-VIRAL

**AGENTS** 

## INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In compliance with 37 C.F.R. §1.97 and the duty of disclosure under 37 C.F.R. §1.56, the attached PTO-1449 form is submitted by Applicants for consideration in connection with the above-identified patent application. Copies of all references can be found in U.S. Patent Application Nos. 09/648,215, 09/382,616, and 09/728,466 (our docket nos. 28341/6216.NCP, 28341/6216, and 28341/6216.NDV1, respectively), to which the present application claims priority.

The present application is a divisional application of U.S. Patent Application No. 09/728,466, now issued U.S. Pat. No. 6,641,994, which is relied on for an earlier effective filing date under 35 U.S.C. §120. Thus, in accordance with 37 C.F.R. §1.98(d)(1), copies of the references cited on Form PTO-1449 are not attached herewith. However, should the Examiner require copies of one or more of the references cited in the prior application, the Applicants will furnish the documents upon request.

Application No.: 10/657,399 Docket No.: 28341/6216.NDV2

This information disclosure statement is not intended to be an admission that a search has been made, that other relevant art does not exist, or that any of the information disclosed herein constitutes prior art under 35 U.S.C. §102 or 35 U.S.C. §103.

This statement and Form PTO-1449 are being submitted before receipt of a first Office Action in the above-identified patent application. Accordingly, it is submitted that no fee is due in this matter under 37 C.F.R. §1.97(b). However, if it is determined that any appropriate fee is due, please charge Deposit Account Number 13-2855. A duplicate of this paper is enclosed.

Dated: September 17, 2004

Respectfully submitted,

Lynn L. Janulis, Ph.D.

Registration No.: 53,066

Agent for Applicants

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Form PTO-1449 (Modified)



U.S. Department of Commerce 28341/6216.NDV2 Patent and Trademark Office

Atty. Docket No.

Serial No. 10/657,399

## INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Applicant	
Fisher et al.	
Filing Date	Group
September 8, 2003	Not yet assigned

U.S. PATENT DOCUMENTS							
*Examiner Initials		Document Number	Issue Date	Name	Class	Subclass	Filing Date If Appropriate
	A1	5,283,173	02-01-94	Fields, et al.			
1	A2	5,376,742	12-27-94	Krause			
	A3	5,457,189	10-10-95	Crooke, et al.			
	A4	5,547,846	08-20-96	Bartsch, et al.			
	A5	5,576,206	11-19-96	Schlegel			
•	A6	5,625,031	04-29-97	Webster, et al.			
	A7	5,629,161	05-13-97	Müller, et al.			
	A8	5,681,944	10-28-97	Crooke, et al.			
	A9	5,736,318	04-07-98	Münger, et al.			
	A10	5,811,232	09-22-98	Crooke, et al.			

		$\mathbf{F}$	OREIGN PA	TENT DOCUM	1ENTS			
*Examiner Initials		Document Number	Publication Date	Country	Class	Subclass	. Tran	slation
							Yes	No
	B1	95/20652	08-03-95	WO				
	B2	98/13502	04-02-98	WO	1			
	В3	0 666 270 A2	08-09-95	EPO				

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
C1	Antinore, et al., "The human papillomavirus type 16 E7 gene product interacts with and trans-activates the AP1 family of transcription factors," EMBO. J., 15:1950-60 (1996)
C2	Arroyo, et al., "Association of the Human Papillomavirus Type 16 E7 Protein with the S-Phase-Specific E2F-Cyclin A Complex," Mol. Cel. Biol. 13:6537-6456 (1993)
C3	Banks, et al., "Ability of the HPV16 E7 protein to bind RB and induce DNA synthesis is not sufficient for efficient transforming activity in NIH3T3 cells," Oncogene 5:1383-1389 (1990)

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citatio	n is in conformance with MPEP 609; Draw line through
citation if not in conformance and not considered. Include copy of	this form with next communication to applicant.

Form PTO-1449 (Modified)



U.S. Department of Commerce 28341/6216.NDV2
Patent and Trademark Office

Atty. Docket No.

Serial No. 10/657,399

## INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

	1
Applicant	
Fisher et al.	
Filing Date	Group
September 8, 2003	Not yet assigned

C4	Cane, et al., "Harnessing the Biosynthetic Code: Combinations, Permutations, and Mutations," Science 282:63-68 (1998)
C5	Chen, et al., "Cyclin-Binding Motifs Are Essential for the Function of p21 <sup>CIP1</sup> ," Mol. Cell. Biol. 16:4673-82 (1996)
C6	Cheng, et al., "Differentiation-dependent up-regulation of the human papillomavirus E7 gene reactivates cellular DNA replication in suprabasal differentiated keratinocytes," Genes & Dev. 9:2335-49 (1995)
C7	Chow, et al., "Papillomavirus DNA Replication," Intervirology 37:150-8 (1994)
C8	Ciccolini, et al., "Functional studies of E7 proteins from different HPV types,"  Oncogene 9:2633-8 (1994)
C9	Colas, et al., "The impact of two-hybrid and related methods on biotechnology," TIBTECH 16:355-363 (1998)
C10	Connell-Crowley, et al., "Phosphorylation Independent Activation of Human Cyclin-Dependent Kinase 2 by Cyclin A In Vitro," Mol. Biol. Cell 4:79-92 (1993)
C11	Davies, et al., "Human Papillomavirus Type 16 E7 Associates with a Histone H1 Kinase and with p107 through Sequences Necessary for Transformation," J. Virol., 67:2521-8 (1993)
C12	Draetta, et al., "cdc2 Protein Kinase is Complexed with Both Cyclin A and B: Evidence for Proteolytic Inactivation of MPF," Cell 56:829-838 (1989)
C13	Dyson, et al., "Homologous Sequences in Adenovirus E1A and Human Papillomavirus E7 Proteins Mediate Interaction with the Same Set of Cellular Proteins," J. Virol. 66:6893-6902 (1992)
C14	Dyson, et al., "The Human Papilloma Virus-16 E7 Oncoprotein Is Able to Bind to the Retinoblastoma Gene Product," Science 243:934-7 (1989)
C15	Fields, et al., "A novel genetic system to detect protein-protein interactions," Nature 340:245-246 (1989)
C16	Fields, "The Two-Hybrid System to Detect Protein-Protein Interactions," Methods: A Companion to Methods in Enzymology 5:116-124 (1993)
C17	Funk, et al., "Inhibiting CDK inhibitors: new lessons from DNA tumor viruses," Elsevier Science Ltd. 337-341 (1998)
C18	Funk, et al., "Inhibition of CDK activity and PCNA-dependent DNA replication by p21 is blocked by interaction with the HPV-16 E7 oncoprotein," Genes & Dev. 11:2090-100 (1997)
C19	Galloway, et al., "The disruption of cell cycle checkpoints by papillomavirus oncoproteins contributes to anogenital neoplasia," Semin. Cancer Biol. 7:309-15 (1996)

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether	or not citation is in conformance with MPEP 609; Draw line through
citation if not in conformance and not considered. Inc	clude copy of this form with next communication to applicant.

	Atty. Docket No. 28341/6216.NDV2	Serial No. 10/657,399
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Fisher et al.	
	Filing Date September 8, 2003	Group Not yet assigned

C20	Harper, et al., "The p21 Cdk-Interacting Protein Cip1 Is a Potent Inhibitor of G1 Cyclin-Dependent Kinases," Cell 75:805-816 (1993)
C21	Houston, et al., "The chemical-biological interface: developments in automated and miniaturised screening technology," Curr. Opin. Biotechnol. 8:734-740 (1997)
C22	Jayawickreme, et al., "Gene expression systems in the development of high-throughput screens," Curr. Opin. Biotechnol. 8:629-634 (1997)
· C23	Jones, et al., "The human papillomavirus E7 oncoprotein can uncouple cellular differentiation and proliferation in human keratinocytes by abrogating
C24	p21 <sup>Cip1</sup> -mediated inhibition of cdk2," <i>Genes &amp; Dev.</i> 11:2101-11 (1997)  Jones, <i>et al.</i> , "Interactions of the human papillomavirus E7 protein with cell cycle
	regulators," Cancer Biology 7:327-337 (1996)
C25	Koonin, "A common set of conserved motifs in a vast variety of putative nucleic acid-dependent ATPases including MCM proteins involved in the initiation of eukaryotic DNA replication," <i>Nucl. Acids Res.</i> 21:2541-7 (1993)
C26	Ma, et al., "Interaction between cyclin-dependent kinases and human papillomavirus replication-initiation protein E1 is required for efficient viral replication," <i>Proc. Natl. Acad. Sci. (USA)</i> <b>96</b> :382-7 (1999)
C27	Massimi, et al., "HPV-16 E7 and adenovirus E1a complex formation with TATA box binding protein is enhanced by casein kinase II phosphorylation," <i>Oncogene</i> 12:2325-30 (1996)
C28	McIntyre, et al., "Human Papillomavirus E7 Oncoproteins Bind a Single Form of Cyclin E in a Complex with cdk2 and p107," Virology 215:73-82 (1996)
C29	Morgan, "CYCLIN-DEPENDENT KINASES: Engines, Clocks, and Microprocessors," Ann. Rev. Cell Dev. Biol. 13:261-291 (1997)
C30	Mulligan, et al., "The retinoblastoma gene family: cousins with overlapping interests," Trends Genet 14:223-9 (1988)
C31	Myers, "Will combinatorial chemistry deliver real medicines?" Curr. Opin. Biotechnol. 8:701-707 (1997)
C32	Pei, et al., "HPV-16 E7 protein bypasses keratinocyte growth inhibition by serum and calcium," Carcinogenesis 19:1481-6 (1998)
C33	Phelps, et al., "Structure-Function Analysis of the Human Papillomavirus Type 16 E7 Oncoprotein," J. of Virol. 66:2418-2427 (1992)
C34	Pietenpol, et al., "TGF-*1 Inhibition of c-myc Transcription and Growth in Keratinocytes Is Abrogated by Viral Transforming Proteins with pRB Binding Domains," Cell 61:777-85 (1990)
C35	Pines, et al., "Human cyclin A is adenovirus E1A-associated protein p60 and behaves differently from cyclin B," Nature 346:760-763 (1990)

EXAMINER	DATE CONSIDERED
	her or not citation is in conformance with MPEP 609; Draw line through Include copy of this form with next communication to applicant.

Form PTO-1449 (Modified) U.S. I	Atty. Docket No. epartment of Commerce 28341/6216.NDV2	Serial No. 10/657,399
INFORMATION DISCLOSURE STA		
(Use several sheets if necessary)	Applicant Fisher et al.	
	Filing Date	Group
	September 8, 2003	Not yet assigned

C36	Polyak, et al., "Cloning of p27 <sup>Kip1</sup> , a Cyclin-Dependent Kinase Inhibitor and a Potential Mediator of Extracellular Antimitogenic Signals," Cell 78:59-66 (1994)
C37	Remington's Pharmaceutical Sciences, 18 <sup>th</sup> Ed. (1990, Mack Publishing Co., Easton, PA 18042) pages 1435-1712
C38	Ruesch, et al., "Human Papillomavirus Oncoproteins Alter Differentiation-Dependent Cell Cycle Exit on suspension in Semisolid Medium," Virol. 250:19-29 (1998)
C39	Scheffner, et al., "The E6 Oncoprotein Encoded by Human Papillomavirus Types 16 and 18 Promotes the Degradation of p53," Cell 63:1129-36 (1990)
C40	Seedorf, et al., "Human Papillomavirus Type 16 DNA Sequences," Virol. 145:181-185 (1985)
C41	Sverdrup, et al., "Replication of Human Papillomavirus (HPV) DNAs Supported by the HPV Type 18 E1 and E2 Proteins," J. Virol. 68:505-509 (1994)
C42	Tommasino, et al., "HPV16 E7 protein associates with the protein kinase p33 <sup>CDK2</sup> and cyclin A," Oncogene 8:195-202 (1993)
C43	Toyoshima, et al., "p27, a Novel Inhibitor of G1 Cyclin-Cdk Protein Kinase Activity, Is Related to p21," Cell 78:67-74 (1994)
C44	Wu, et al., "The Human Papillomavirus E7 Oncoprotein and the Cellular Transcription Factor E2F Bind to Separate Sites on the Retinoblastoma Tumor Suppressor Protein," J. Virol. 67:2402-7 (1993)
C45	Zerfass, et al., "Inactivation of the cdk inhibitor p27KIP1 by the human papillomavirus type 16 E7 oncoprotein," Oncogene 13:2323-30 (1996)
C46	zur Hausen, "Papillomavirus infections — amajor cause of human cancers," <i>Biochim. Biophys. Acta</i> 1288:F55-78 (1996)
C47	Desai, et al., "Activation of Human Cyclin-Dependent Kinases In Vitro," Mol. Biol. Cell. 3:571-582 (1992)
C47	Desai, et al., "Activation of Human Cyclin-Dependent Kinases In Vitro," Mol. Biol. Cell. 3:571-582 (1992)
C47	Desai, et al., "Activation of Human Cyclin-Dependent Kinases In Vitro," Mol. Biol. Cell. 3:571-582 (1992)
C48	Roberts, "Evolving Ideas about Cyclins," Cell 98:129-132 (1999)
C49	Ben-Bassat, et al., "Inhibitors of Epidermal Growth Factor Receptor Kinase and of Cyclin-dependent Kinase 2 Activation Induce Growth Arrest, Differentiation, and Cancer Research 57(17):3741-3750 (1997)
C50	Colas, et al., "Genetic selection of peptide aptamers that recognize and inhibit cyclin-dependent kinase 2," Nature 380:548-550 (1996)

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citatio	
citation if not in conformance and not considered. Include copy of	this form with next communication to applicant.

SHEET 5 of 5

Form PTO-1449 (Modified)		Atty. Docket No.	Serial No.
	U.S. Department of Commerce Patent and Trademark Office	28341/6216.NDV2	10/657,399
INFORMATION DISCLOSURE	al sheets if necessary)	Applicant	
(Ose several sneets if necessit		Fisher et al.	
		Filing Date	Group
		September 8, 2003	Not yet assigned

C51	Funk, et al., "Inhibitor of CDK activity and PCNA-dependent DNA replication by p21 is blocked by interaction with the HPV-16 E7 oncoprotein," Genes & Devel. 11:2090-2100 (1997)
C52	International Search Report from PCT/US00/23487.

EXAMINER DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.